2019 CERTIFICATION 2020 JUNII AM 8: 02

Consumer Confidence Report (CCR)

City of Louisville and City of Louisville-Northeast

Public Water System Name

MS 0800004 & MS 0800005

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the PWS, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must email, fax (but not preferred) or mail, a copy of the CCR and Certification to the MSDH. Please cheek all boxes that apply.

man, a C	pry of the CC	Kand Certification to a	He Misbri. Flease chec	ok an boxes mar appry.		
ii Cu	stomers were	informed of availabili	ty of CCR by: (Attaci	h copy of publication, v	vater bill or other)	
	Ç	Advertisement in	local paper (Attach co	opy of advertisement)	4.40	
	()	I On water bills (4)	tach copy of bill)	in the state		
	-()	☐ Email message (E	mail the message to	the address below)		
S00545 S	O C	Other				
I The E	Date(s) custor	ners were informed;	5 / 27 /2020	5 / 28 /2020	5 / 29 /2020	
CC	R was distr nethods used	ributed by U.S. Postal	Service or other d	irect delivery. Must sp	pecify other direc	t delivery
I	Date Mailed/I	Distributed:/				
CC	R was distri	buted by Email (<i>Email</i>	MSDH a copy)	Date Emailed:	/ / 2020	
4825 X	\$130 G	🗆 As a URL			(Provide Di	rect URL)
oreon To	S.A. C	☐ As an attachment			*	
		at the contract of	body of the email me			
ASSESSED STY	Marata I.A.		1 5 5	0 0 20		1140950
-1	11 11		594.65	blished CCR <u>or</u> proof o	f publication)	
		spaper: Winston				
Ţ	Daro Publishe	d: 5 / 27/ 2020	<u>) </u>			No.
X CC	R was poste	d in public places. (Att	ach list of locations)	Date Poste	d: 5 / 28 / 202	0
u cc	OR was poste	d on a publicly accessi	ble internet site at the	following address:	1/	
197621	w.cityofLo	uisvillems.com/ar	mual-drinking-w	eter-quality-repor	tt. (Provide Dir	ect URL)
L hereby	CATION certify that the	CCR has been distribute	d to the customers of th	is public water system in	the form and manne	r identified
above and	I that I used di	stribution methods allowed tent with the water quality	d by the SOWA. I furth	is public water system in or certify that the informated to the PWS officials by t	ion included in this (CR is true
of Health,	Bureau of Pub	olic Water Supply	ğ , ä		er en	- spin misen
-111	11/1/1		LMANAGOR	5/29/2020		
Name/Ti	ne (Board Pres	ildent, Mayor. Owner, Adn	iln. Comaci. etc.)		Date	
		Submiss	iua options (Select on	e method ONLY)		
	Statte (118	Partal Samilari		Email: water report	to/Amadh are and	

Mail: (U.S. Postal Service) MSDH, Bureau of Public Water Supply P.G. Box 1700 Jackson, MS 39215

Email: water.reports@msdh.ms.gov

Fax: (601) 576 - 7800

** That partitited method due to past chrity**

CCR Deadline to MSDH & Customers by July 1, 2020!

City of Louisville - PWS ID # 0800004

				TEST RE	ESULTS	1.4		and the
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Co	ntaminar	nts						
10. Barium	N	2019	0.0226	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride	N	2019	1.01	No Range	ррлі	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Disinfectants	& Disin	fectant B	y-Produc	ets				
Chlorine (as Cl2)	N.	1/1/19 to 12/31/19	1.20	0.80 to 1.70	pptn	4	4	Water additive used to control microbes
HAAS	N	2017*	3	No Range	pրb	Q	60	By-product of drinking water chlorination
Unregulated	Contam	inants	11 14	Tarana a rota				
Sodium	N	2019	13000	No Rangè	bůp	0	250000	Road salt, water treatment chemicals, water softeners and sewage effluents

Most Scen sample results available

City of Louisville - PWS ID # 0800004

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the City of Levisville, PWS ID # 0800004, is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.6 - 1.2 ppm was 11. The percentage of fluoride samples collected in the previous calendar year that were within the optimal range of 0.6 - 1.2 ppm was 92%.

City of Louisville-Northeast - PWS ID # 0800005

No.				TEST RE	SULTS			3
.Contaminent	Violation Y/N	Date Collected	Level Defected	Range of Detects or # of Samples Exceeding - MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Casterianution
Inorganie Co	otaminar	ıts		74°	1.68 × 18 × 12	0.049		the transfer of the second
10. Barium	N	2019	0.0148	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
17. Lead	И	1/1/15 to 12/31/17#	14	None	£bp	0	ĀL;=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	2	2018*	- 0.81	No Range	libm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Disinfectants	& Disin	fectant B	y-Produc	ets	.72	0.00		
Chlorine (as Cl2)	N.	1/1/19 to 12/31/19	1.20	1.00 to 1.20	ppm	4	4	Water additive used to control microbes
73. TTHM [Total trihalomethanes]	N	2016*	2.83	No Range	dqq.	0	80	By-product of drinking water chlorination
Unregulated	Contami	nants		T				
Sodium	N	2019	4800	No Range	ррь	0	250000	Road salt, water treatment chemicals, water softeners and sewage effluents

^{*} Most recent sample results available

Annual Drinking Water Quality Report City of Louisville & City of Louisville-Northeast PWS ID # 0800004 & 0800005 May 2020

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of 6 wells that draw from the Lower Wilcox Aquifer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. The water supply for the City of Louisville and the City of Louisville-Northeast received a moderate susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Wilson Webb, General Manager at 662-773-7147. We want our valued customers to be informed about their water utility. If you want to learn more please attend any of our regularly scheduled meetings. They are held on the 2nd Monday of each month at 871 South Columbus St. At 8:00 am.

The City of Louisville and the City of Louisville-Northeast routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st 2019. As water travels over the land or underground, it can pick up substances or contaminants such as increases, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

in this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Louisville and the City of Louisville-Northeast is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be incrobes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

An ele Marie i e la grapa e la respecta de la Anteles esta especial. A la mentiona de la compaño A la compaño de la compaño

Environment of the second of t

Please call our office if you have questions.

~PROOF OF PUBLICATION~ STATE OF MISSISSIPPI COUNTY OF WINSTON

PERSONALLY appeared before me the undersigned authority in and for said County and State, Joseph McCain of The Winston County Journal, a newspaper printed and published in said County, who being duly sworn, deposes and says that the publication of this notice hereto affixed has been made in said newspaper for ______ consecutive week(s), to-wit:

Vol. 127,	No. 22 on the 27 day of May 2020
Vol. 127,	No on the day of 2020
Vol. 127,	No, on the, day of, 2020
Vol. 127,	No, on the, day of, 2020

By: (newspaper)

Sworn to and subscribed to this the 9th day of June, 2020, by the undersigned Notary Public of said County and State.

(Notary)

Of Misses

ACTERYPOSISC

GRAS-107762

Osterislata Espice
February 11, 2022

(SEAL)

Annual Drinking Water Quality Report City of Louisville & City of Louisville-New Land PWS 15-4 0800004 & 0800005 May 2020

We're pleased to present to you this year's Annual Wore Quality Report. This report is designed to inform you about the quality water and socretes we deliver to you every Bay. Our operant goal is to provide you with a tark and open ables upth of thinking water. We even you to independed the Librar warm to a recommend the inspection water technically improve the water technically recommended to marriage the quality of your water. Our writing our your water water water was the first way to be provided to marriage the quality of your water. Our writing our your water water water water water water water was the provided to marriage the quality of your water.

A source water reseasment has been completed for the union supply to determine the events accomplibility of its drinking water to identify potential sources of communication. The water amply for the City of Louisville and the Oby of Louisville-Northeast received a newtonic suppossibility ranking to communication.

We're pleased in 1950st that our disking warm more all Sedand and some transmission.

If you have any questions about this report or concerning your evator utility, please custoot. When Wabb, General Manager at 600, F73-9147, We want our valued implements a factorized about their walks willing. If you want to lear more, please attand may of our regularly scheduled meetings. They are hold on the 2° Manager of each month that.

The City ATL bulse He and the City of Louise Me-Northeast vontinety mention for descriptions in your depicting maintage of Pederal and Sieve fasts. This debt shows the results of our middlering for the period of farancy I* to Ducknihor 31*, 2015. As which tracks with the final or underground it on picking additiones or nontransmiss such as microbay, inexpense and organic chainstage, and miliancies substances. All sticking wites, facilities desired depicting water, that he reasonable expected to consider the black small amounts of some constitutions. We important to continuously that the presente of lines considered does not expensely page a testile risk.

in this make you will find many torms and abbreviations you might not be familiar with. To hap you better understand these terms we ve reactive the leftween defaultions.

Aplian Level - the encountration of a encountrient which, if of could, triggers accommon or most regularization mollet tunn masses were a deliber

Transmints Fost-stique (FF) - A transmint such signs is a significal process intention or nation the level at a service situation to stateking research.

Microstress Controllment Legal - The "Mandament Alternati" (MLL) is the highest level of a contaminate that is alleved by Grinking women. MCL a was set as element the MCL of an excelled public the beautyping rechindents.

Shellmain Conteminist Lorel God. The "God WICLAN is the local of a continuous to defiding center below which there is no ferrom or coperiod risk to hearth. ACLICE allow for a margin of shelp.

Unplayorping	Fift	Challegrap	Fancing Denormal	Median UP Company on Fall Symmetry Later Milling 2015 Later Co.	Vertica must	HALE	NE.	TAPE PRODUCTION OF THE PARTY OF
intergunes Con	thralpa	tis	192		Water was just party and alleg		-	· · · · · · · · · · · · · · · · · · ·
	K		9 8226	No fittings	1		3	The check of deliber weather street and the checkers when where the checkers are contained and checkers are checkers and checkers are checkers and checkers are checkers and checkers are checkers are checkers and checkers are c
in Timoping		2017	Lill	744 (2042)	Julenth			Ecopies of moute. Activities, treate as after or oblight properties. People in the chief people from the chief
Distributions	er Tribut	ternal o					42-55 X-30	Contract of the second second
Promise on LEG.		1352171(0	1,783	Arch do 1758	bloo		4	Secretar profession mayor no unimare
200	- 1	21177		Las amalia	2070a	0	43	Management of Godding owners
Concountment	Carpana .	26:0542.05		N. Service				
Surfress of marrie	3 1844		45000	Top Splagge	1576	3.1	25000	Manufact, 100-7-7-10-10-0-1-1-1-1-1-1-1-1-1-1-1-1-

City of Lastre Re. - 648 To a translate The conjunctive of Computity Water Standists." the City of Local To employ with the "Engineerin Governing Tractionies on Computity Water Standists." the City of Local TWE ID a tracking to Handiston of the State system. The facilities of months in this previous necessary or in which a strenge models temper results became the range of 4.6 - 1.2 part was I f. The percentage of fluorisis samples collected in the properties either in year a year action the optimal range of 0.6 - 1.2 pages was 52%.

City of Lorder Me-Northeast - 12573 In a asquass

Contraction	2.35c	Cobates	Livering Livering	er e et discools.	Editories posset.	Metje	Kers.	Martines of the last
Inorganio On	otamins.		V		Providental Control		-	
es the fifth.	*	28.(4	6014	Miritage	Pent	-	- 8	Charles at Office or steel decharge Concept Services
Eres .		10174	u	fidologi	ANTE	*	ACTO	Planting systems, states of
A. Kitamo bas delriging	, is	#14	6.81	the Party's	71=	14	ea-	Charles to the control of the contro
THURSDOOMS.	St Divin	Secrificat 150	-Protect	48	فيمتون يسسم			1 100 010
CALL OF CHILDS	1	1938	130	- स्वीक्ता (व	No.			West also that the ments
ia, Propinsi Tradi Challedon (sarra)		\$31:50	7.37	N- RYDEN	296		No.	Lig in midder at Gryndolig a stoiner desperation
Jeirettalnimi C	Continuit	5000			- Annah ing	1	-	
wilder.	. 14	2019.	Sept.	No Knight	207	18.0	130000	Empley of the section

Additional information for Lead

If property, the next of leads of Lead on these periods handle problems, expectally the program worms and young the property that the program worms and young the property that the property of Lead on these principles in the property of Leads of the Leads of the Leads of the Leads of the City of Leads of the City of Leads of the Leads of the Providing high lands of the providing high lands of the leads of the providing high leads of the lands of the leads of the

recorded in hing senter are anti-lect to potential contamination by intercords that are enteredy accurating or point. These arithment can have been contained and collective subjectives, interpretable for expensive contains a feature that contains a feature of the entered of the contains of the entered of

the poorse times he more vulnerable or excurationate in chinking water than the general population. Immediate the current configuration of the property of the latter vulnerable property of the latter of the configuration of the configuratio

Pinase tall our office If you have questions.

THE REPORT OF THE PARTY OF THE

204003-103552 ACCOUNT NUMBER DANNIE O MCDONALD **CUSTOMER NAME** 3926 N CHURCH AVE SERVICE ADDRESS: May 26 2020 METER READING DATE DAYS BILLED:

This bill is now due and payable. If unpaid 10 days after due date service may be discontinued.



LOUISVILLE ECTRIC SYSTEM

P.O. BOX 849 · LOUISVILLE, MISSISSIPPI · 39339-0849 PHONE 662/773-7147 FAX 662/773-7858

PRESENT READING	PREVIOUS READING	AMOUNT USED	AMOUNT
58756	58076	680	69.59 115.97
5194	5179	15	13.50
			0.76 15.00
		a. 194	
a de la deservación de la compansión de la			
			114.82
)			0.00
	5194	5194 5179	58756 58076 680 5194 5179 15

AMOUNT FROM LATE CHARGES	PAYMENTS & OTHER DESITE CREDI	TS PARTING	CORRENT CHANGES	AMOUNT N = DUE
V 185.05 0.00	185.05- 0.00	0.00	114.62	914.02

CONFIDENCE REPORT AT
WWW.CITYOFLOUISVILLEMS.COM/ANNUACDRINKING-WATER-QUALITY REPORT HTML.
YOU MAY REQUEST A HARD COPY BY CALLING OUR OFFICE AT (662)773-7147.

COMPARE YOUR USAGE

PERIOD	DATE.	ELECT. KINH USED	DAILY AVO WH	WATER CALS USED	DAILY AVG GALS
CURRENY	32	680	21	:500	4
LAST MONTH	30	1127	38	7900	26
YEAR AGO	90	483	16	800	2

204003-103552

114.82

5.75

120.57

METAST DETECH AND RETURN THIS

ELECTRIC P.O. BOX 349 LOUISVILLE MISSISSIPP 39139-0549

NET AMOUNT DUE JUN 45 2020 GUE DATE LATE CHARGES:

CUSTOMER ACCOUNT NO

ASICUNT AFTER DUE DATE

RETURN SERVICE REQUESTED

000580

ALTOMSON SINGER SASSESSON 2:2 SSON AV 0.386 DAMHE O MODDIALD

րեղ են երել ին են այն արկանին ինկին իրել անել OUISVILLE ELECTRIC SYSTEM PO BOX 849 LOUISVILLE M5 39339-0849

